Product datasheet

Specifications



extended rotary handle black IP 54 - for circuit breaker and switch

LV426932

Discontinued on: 30 Jun 2024

Discontinued

Important message: This product has been switched to new ComPacT range and is no longer commercialized.
EAN Code: 3606485444765

Main

Range compatibility	PowerPact PowerPact B ComPact ComPact NSXm
Product or component type	Rotary handle
Accessory / separate part type	Control accessories
Handle colour	Black
Handle front plate colour	Black
Enclosure mounting style	Extended

Complementary

Rotary handle padlocking	1 to 3 padlocks Padlock in OFF position Padlock in ON position
Product mounting position	Front
Locking options description	1 to 3 padlocks Ø 4 to Ø 8

Environment

IP degree of protection	IP54

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	9.000 cm
Package 1 Width	9.100 cm
Package 1 Length	45.800 cm
Package 1 Weight	709.000 g
Unit Type of Package 2	S04
Number of Units in Package 2	12
Package 2 Height	30.000 cm
Package 2 Width	40.000 cm
Package 2 Length	60.000 cm
Package 2 Weight	9.281 kg
Unit Type of Package 3	P06

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Number of Units in Package 3	48
Package 3 Height	75.000 cm
Package 3 Width	60.000 cm
Package 3 Length	80.000 cm
Package 3 Weight	49.268 kg

Logistical informations

Country of origin	CZ

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Total lifecycle Carbon footprint	**6 kg CO2 eq.**
Carbon footprint of the manufacturing phase [A1 to A3]	**4 kg CO2 eq.**
Carbon footprint of the distribution phase [A4]	**0.1 kg CO2 eq.**
Carbon footprint of the installation phase [A5]	**0.3 kg CO2 eq.**
Carbon footprint of the use phase [B2, B3, B4, B6]	**0 kg CO2 eq.**
Carbon footprint of the end-of-life phase [C1 to C4]	**2 kg CO2 eq.**
Environmental Disclosure	**Product Environmental Profile**

Use Better

Materials and Substances

Packaging made with recycled cardboard	**Yes**
Packaging without single use plastic	**No**
SCIP Number	**Ab9dc4da-002c-433d-9974-4b46c472d129**
EU RoHS Directive	**Compliant By Exemption**
Halogen-free status	**Halogen free plastic parts product**

Use Again

Repack and remanufacture

Recyclability potential, in %	**65**
End of life manual availability	**End of Life Information**
Take-back	**No**