
Product data sheet
Characteristics

LVS03070
Mounting plate, PrismaSeT G, for NSX/CVS/ INS 630A, horizontal fixed, toggle, W600mm



Main

Range	PrismaSeT
Range of product	PrismaSeT G
Product or component type	Mounting plate
Accessory / separate part category	Installation accessory
Range compatibility	PrismaSeT PrismaSeT G enclosure
Enclosure/cubicle description	Floor-standing enclosure - width 850 mm Floor-standing enclosure + duct - width 600 + 300 mm Wall-mounted enclosure + duct - width 600 + 300 mm
Installed device	EasyPact: fixed CVS400 without earth leakage protection - control: toggle - horizontal installatio EasyPact: fixed CVS630 without earth leakage protection - control: toggle - horizontal installati EasyPact: fixed EZC400 - control: toggle - horizontal installation EasyPact: fixed EZC630 - control: toggle - horizontal installation ComPact: fixed INS320...400 - control: direct front rotary handle - horizontal installation ComPact: fixed INS500...630 - control: direct front rotary handle - horizontal installation ComPact: fixed INV320...400 - control: direct front rotary handle - horizontal installation ComPact: fixed INV500...630 - control: direct front rotary handle - horizontal installation ComPact: fixed NSX400 without earth leakage protection - control: toggle - horizontal installatio ComPact: fixed NSX630 without earth leakage protection - control: toggle - horizontal installatio
Poles description	1 x 3P: fixed CVS400 horizontal installation 1 x 4P: fixed CVS400 horizontal installation 1 x 3P: fixed CVS630 horizontal installation 1 x 4P: fixed CVS630 horizontal installation 1 x 3P: fixed EZC400 horizontal installation 1 x 4P: fixed EZC400 horizontal installation 1 x 3P: fixed EZC630 horizontal installation 1 x 4P: fixed EZC630 horizontal installation 1 x 3P: fixed INS320...400 horizontal installation 1 x 4P: fixed INS320...400 horizontal installation 1 x 3P: fixed INS500...630 horizontal installation 1 x 4P: fixed INS500...630 horizontal installation 1 x 3P: fixed INV320...400 horizontal installation 1 x 4P: fixed INV320...400 horizontal installation 1 x 3P: fixed INV500...630 horizontal installation 1 x 4P: fixed INV500...630 horizontal installation 1 x 3P: fixed NSX400 horizontal installation 1 x 4P: fixed NSX400 horizontal installation 1 x 3P: fixed NSX630 horizontal installation 1 x 4P: fixed NSX630 horizontal installation
Condition of use	Need additional plate (2M high) when installation of device is in horizontal

Number of vertical modules [50 mm]	9 module(s): CVS400 without earth leakage protection , direct with long terminal shield in 600 + 30 9 module(s): CVS400 without earth leakage protection , direct with long terminal shield in 600 + 3 6 module(s): CVS400 without earth leakage protection , direct with long terminal shield in 600 + 3 6 module(s): CVS400 without earth leakage protection , direct with long terminal shield in 600 + 3 9 module(s): CVS400 without earth leakage protection , direct with long terminal shield in 850 mm 6 module(s): CVS400 without earth leakage protection , direct with long terminal shield in 850 mm 9 module(s): CVS630 without earth leakage protection , direct with long terminal shield in 600 + 3 9 module(s): CVS630 without earth leakage protection , direct with long terminal shield in 600 + 3 6 module(s): CVS630 without earth leakage protection , direct with long terminal shield in 600 + 3 6 module(s): CVS630 without earth leakage protection , direct with long terminal shield in 600 + 3 9 module(s): CVS630 without earth leakage protection , direct with long terminal shield in 850 mm 6 module(s): CVS630 without earth leakage protection , direct with long terminal shield in 850 mm 9 module(s): EZC400, direct with long terminal shield in 600 + 300 mm Widefloor-standing enclosu 9 module(s): EZC400, direct with long terminal shield in 600 + 300 mm Widewall-mounted enclosu 6 module(s): EZC400, direct with long terminal shield in 600 + 300 mm Widefloor-standing enclosu 6 module(s): EZC400, direct with long terminal shield in 600 + 300 mm Widewall-mounted enclosu 9 module(s): EZC630, direct with long terminal shield in 600 + 300 mm Widefloor-standing enclosu 9 module(s): EZC630, direct with long terminal shield in 600 + 300 mm Widewall-mounted enclosu 6 module(s): EZC630, direct with long terminal shield in 600 + 300 mm Widefloor-standing enclosu 6 module(s): EZC630, direct with long terminal shield in 600 + 300 mm Widewall-mounted enclosu 9 module(s): INS320...400, direct with long terminal shield in 600 + 300 mm Widefloor-standing en 9 module(s): INS320...400, direct with long terminal shield in 600 + 300 mm Widewall-mounted en 6 module(s): INS320...400, direct with long terminal shield in 600 + 300 mm Widefloor-standing en 6 module(s): INS320...400, direct with long terminal shield in 600 + 300 mm Widewall-mounted en 9 module(s): INS320...400, direct with long terminal shield in 850 mm Widefloor-standing enclosur 6 module(s): INS320...400, direct with long terminal shield in 850 mm Widefloor-standing enclosur 9 module(s): INS500...630, direct with long terminal shield in 600 + 300 mm Widefloor-standing en 9 module(s): INS500...630, direct with long terminal shield in 600 + 300 mm Widewall-mounted en 6 module(s): INS500...630, direct with long terminal shield in 600 + 300 mm Widefloor-standing en 6 module(s): INS500...630, direct with long terminal shield in 600 + 300 mm Widewall-mounted en 9 module(s): INS500...630, direct with long terminal shield in 850 mm Widefloor-standing enclosur 6 module(s): INS500...630, direct with long terminal shield in 850 mm Widefloor-standing enclosur 9 module(s): INV320...400, direct with long terminal shield in 600 + 300 mm Widefloor-standing en 9 module(s): INV320...400, direct with long terminal shield in 600 + 300 mm Widewall-mounted en 6 module(s): INV320...400, direct with long terminal shield in 600 + 300 mm Widefloor-standing en 6 module(s): INV320...400, direct with long terminal shield in 600 + 300 mm Widewall-mounted en 9 module(s): INV320...400, direct with long terminal shield in 850 mm Widefloor-standing enclosur 6 module(s): INV320...400, direct with long terminal shield in 850 mm Widefloor-standing enclosur 9 module(s): INV500...630, direct with long terminal shield in 600 + 300 mm Widefloor-standing en 9 module(s): INV500...630, direct with long terminal shield in 600 + 300 mm Widewall-mounted en 6 module(s): INV500...630, direct with long terminal shield in 600 + 300 mm Widefloor-standing en 6 module(s): INV500...630, direct with long terminal shield in 600 + 300 mm Widewall-mounted en 9 module(s): INV500...630, direct with long terminal shield in 850 mm Widefloor-standing enclosur 6 module(s): INV500...630, direct with long terminal shield in 850 mm Widefloor-standing enclosur 9 module(s): NSX400 without earth leakage protection , connection block in 850 mm Widefloor-sta 6 module(s): NSX400 without earth leakage protection , connection block in 850 mm Widefloor-sta 9 module(s): NSX400 without earth leakage protection , connection block in 600 + 300 mm Widefl 9 module(s): NSX400 without earth leakage protection , connection block in 600 + 300 mm Widew 6 module(s): NSX400 without earth leakage protection , connection block in 600 + 300 mm Widefl 6 module(s): NSX400 without earth leakage protection , connection block in 600 + 300 mm Widew 9 module(s): NSX400 without earth leakage protection , direct with long terminal shield in 600 + 3 9 module(s): NSX400 without earth leakage protection , direct with long terminal shield in 600 + 3 6 module(s): NSX400 without earth leakage protection , direct with long terminal shield in 600 + 3 6 module(s): NSX400 without earth leakage protection , direct with long terminal shield in 600 + 3 9 module(s): NSX400 without earth leakage protection , direct with long terminal shield in 850 mm 6 module(s): NSX400 without earth leakage protection , direct with long terminal shield in 850 mm 9 module(s): NSX630 without earth leakage protection , connection block in 850 mm Widefloor-sta 6 module(s): NSX630 without earth leakage protection , connection block in 850 mm Widefloor-sta 9 module(s): NSX630 without earth leakage protection , connection block in 600 + 300 mm Widefl 9 module(s): NSX630 without earth leakage protection , connection block in 600 + 300 mm Widew 6 module(s): NSX630 without earth leakage protection , connection block in 600 + 300 mm Widefl 6 module(s): NSX630 without earth leakage protection , connection block in 600 + 300 mm Widew 9 module(s): NSX630 without earth leakage protection , direct with long terminal shield in 600 + 3 9 module(s): NSX630 without earth leakage protection , direct with long terminal shield in 600 + 3 6 module(s): NSX630 without earth leakage protection , direct with long terminal shield in 600 + 3 6 module(s): NSX630 without earth leakage protection , direct with long terminal shield in 600 + 3 9 module(s): NSX630 without earth leakage protection , direct with long terminal shield in 850 mm 6 module(s): NSX630 without earth leakage protection , direct with long terminal shield in 850 mm
Standards	IEC 61439-2
Product certifications	ASTA

Complementary

Cable entry	Cut-out plates 0.38 mm top 217 mm Cut-out plates 0.32 mm bottom 67 mm
Material	Sheet steel
Protective treatment	Electrophoresis treatment and hot-polymerised polyester epoxy powder
Surface finish	Textured Matt
Colour	White (RAL 9003)
Width	600 Mm
Height	250 Mm

Net weight	2.24 Kg
Enclosure/cubicle width	600 + 300 mm PrismaSeT G floor-standing enclosure + duct EasyPact CVS400 without fixed toggl 600 + 300 mm PrismaSeT G wall-mounted enclosure + duct EasyPact CVS400 without fixed togg 600 + 300 mm PrismaSeT G floor-standing enclosure + duct EasyPact CVS400 without fixed togg 600 + 300 mm PrismaSeT G wall-mounted enclosure + duct EasyPact CVS400 without fixed togg 600 + 300 mm PrismaSeT G floor-standing enclosure + duct EasyPact CVS400 without fixed togg 600 + 300 mm PrismaSeT G wall-mounted enclosure + duct EasyPact CVS400 without fixed togg 600 + 300 mm PrismaSeT G floor-standing enclosure + duct EasyPact CVS400 without fixed togg 600 + 300 mm PrismaSeT G wall-mounted enclosure + duct EasyPact CVS400 without fixed togg 850 mm PrismaSeT G floor-standing enclosure EasyPact CVS400 without fixed toggle horizontal 850 mm PrismaSeT G floor-standing enclosure EasyPact CVS400 without fixed toggle horizontal 850 mm PrismaSeT G floor-standing enclosure EasyPact CVS400 without fixed toggle horizontal 850 mm PrismaSeT G floor-standing enclosure EasyPact CVS400 without fixed toggle horizontal 600 + 300 mm PrismaSeT G floor-standing enclosure + duct EasyPact CVS630 without fixed togg 600 + 300 mm PrismaSeT G wall-mounted enclosure + duct EasyPact CVS630 without fixed togg 600 + 300 mm PrismaSeT G floor-standing enclosure + duct EasyPact CVS630 without fixed togg 600 + 300 mm PrismaSeT G wall-mounted enclosure + duct EasyPact CVS630 without fixed togg 600 + 300 mm PrismaSeT G floor-standing enclosure + duct EasyPact CVS630 without fixed togg 600 + 300 mm PrismaSeT G wall-mounted enclosure + duct EasyPact CVS630 without fixed togg 600 + 300 mm PrismaSeT G floor-standing enclosure + duct EasyPact CVS630 without fixed togg 600 + 300 mm PrismaSeT G wall-mounted enclosure + duct EasyPact CVS630 without fixed togg 850 mm PrismaSeT G floor-standing enclosure EasyPact CVS630 without fixed toggle horizontal 850 mm PrismaSeT G floor-standing enclosure EasyPact CVS630 without fixed toggle horizontal 850 mm PrismaSeT G floor-standing enclosure EasyPact CVS630 without fixed toggle horizontal 850 mm PrismaSeT G floor-standing enclosure EasyPact CVS630 without fixed toggle horizontal 600 + 300 mm PrismaSeT G floor-standing enclosure + duct EasyPact EZC400 fixed toggle horizo 600 + 300 mm PrismaSeT G wall-mounted enclosure + duct EasyPact EZC400 fixed toggle horizo 600 + 300 mm PrismaSeT G floor-standing enclosure + duct EasyPact EZC400 fixed toggle horizo 600 + 300 mm PrismaSeT G wall-mounted enclosure + duct EasyPact EZC400 fixed toggle horizo 600 + 300 mm PrismaSeT G floor-standing enclosure + duct EasyPact EZC400 fixed toggle horizo 600 + 300 mm PrismaSeT G wall-mounted enclosure + duct EasyPact EZC400 fixed toggle horizo 600 + 300 mm PrismaSeT G floor-standing enclosure + duct EasyPact EZC400 fixed toggle horizo 600 + 300 mm PrismaSeT G wall-mounted enclosure + duct EasyPact EZC400 fixed toggle horizo 600 + 300 mm PrismaSeT G floor-standing enclosure + duct EasyPact EZC630 fixed toggle horizo 600 + 300 mm PrismaSeT G wall-mounted enclosure + duct EasyPact EZC630 fixed toggle horizo 600 + 300 mm PrismaSeT G floor-standing enclosure + duct EasyPact EZC630 fixed toggle horizo 600 + 300 mm PrismaSeT G wall-mounted enclosure + duct EasyPact EZC630 fixed toggle horizo 600 + 300 mm PrismaSeT G floor-standing enclosure + duct EasyPact EZC630 fixed toggle horizo 600 + 300 mm PrismaSeT G wall-mounted enclosure + duct EasyPact EZC630 fixed toggle horizo 600 + 300 mm PrismaSeT G floor-standing enclosure + duct EasyPact EZC630 fixed toggle horizo 600 + 300 mm PrismaSeT G wall-mounted enclosure + duct EasyPact EZC630 fixed toggle horizo 600 + 300 mm PrismaSeT G floor-standing enclosure + duct ComPact INS320...400 fixed direct fr 600 + 300 mm PrismaSeT G wall-mounted enclosure + duct ComPact INS320...400 fixed direct fr 600 + 300 mm PrismaSeT G floor-standing enclosure + duct ComPact INS320...400 fixed direct fr 600 + 300 mm PrismaSeT G wall-mounted enclosure + duct ComPact INS320...400 fixed direct fr 600 + 300 mm PrismaSeT G floor-standing enclosure + duct ComPact INS320...400 fixed direct fr 600 + 300 mm PrismaSeT G wall-mounted enclosure + duct ComPact INS320...400 fixed direct fr 600 + 300 mm PrismaSeT G floor-standing enclosure + duct ComPact INS320...400 fixed direct fr 600 + 300 mm PrismaSeT G wall-mounted enclosure + duct ComPact INS320...400 fixed direct fr 850 mm PrismaSeT G floor-standing enclosure ComPact INS320...400 fixed direct front rotary ha 850 mm PrismaSeT G floor-standing enclosure ComPact INS320...400 fixed direct front rotary ha 850 mm PrismaSeT G floor-standing enclosure ComPact INS320...400 fixed direct front rotary ha 850 mm PrismaSeT G floor-standing enclosure ComPact INS320...400 fixed direct front rotary ha 600 + 300 mm PrismaSeT G floor-standing enclosure + duct ComPact INS500...630 fixed direct fr 600 + 300 mm PrismaSeT G wall-mounted enclosure + duct ComPact INS500...630 fixed direct fr 600 + 300 mm PrismaSeT G floor-standing enclosure + duct ComPact INS500...630 fixed direct fr 600 + 300 mm PrismaSeT G wall-mounted enclosure + duct ComPact INS500...630 fixed direct fr 600 + 300 mm PrismaSeT G floor-standing enclosure + duct ComPact INS500...630 fixed direct fr 600 + 300 mm PrismaSeT G wall-mounted enclosure + duct ComPact INS500...630 fixed direct fr 600 + 300 mm PrismaSeT G floor-standing enclosure + duct ComPact INS500...630 fixed direct fr 600 + 300 mm PrismaSeT G wall-mounted enclosure + duct ComPact INS500...630 fixed direct fr 850 mm PrismaSeT G floor-standing enclosure ComPact INS500...630 fixed direct front rotary ha 850 mm PrismaSeT G floor-standing enclosure ComPact INS500...630 fixed direct front rotary ha 850 mm PrismaSeT G floor-standing enclosure ComPact INS500...630 fixed direct front rotary ha 850 mm PrismaSeT G floor-standing enclosure ComPact INS500...630 fixed direct front rotary ha 600 + 300 mm PrismaSeT G floor-standing enclosure + duct ComPact INV320...400 fixed direct fr 600 + 300 mm PrismaSeT G wall-mounted enclosure + duct ComPact INV320...400 fixed direct fr 600 + 300 mm PrismaSeT G floor-standing enclosure + duct ComPact INV320...400 fixed direct fr 600 + 300 mm PrismaSeT G wall-mounted enclosure + duct ComPact INV320...400 fixed direct fr 600 + 300 mm PrismaSeT G floor-standing enclosure + duct ComPact INV320...400 fixed direct fr 600 + 300 mm PrismaSeT G wall-mounted enclosure + duct ComPact INV320...400 fixed direct fr 600 + 300 mm PrismaSeT G floor-standing enclosure + duct ComPact INV320...400 fixed direct fr 600 + 300 mm PrismaSeT G wall-mounted enclosure + duct ComPact INV320...400 fixed direct fr 850 mm PrismaSeT G floor-standing enclosure ComPact INV320...400 fixed direct front rotary ha 850 mm PrismaSeT G floor-standing enclosure ComPact INV320...400 fixed direct front rotary ha 850 mm PrismaSeT G floor-standing enclosure ComPact INV320...400 fixed direct front rotary ha 850 mm PrismaSeT G floor-standing enclosure ComPact INV320...400 fixed direct front rotary ha 600 + 300 mm PrismaSeT G floor-standing enclosure + duct ComPact INV500...630 fixed direct fr 600 + 300 mm PrismaSeT G wall-mounted enclosure + duct ComPact INV500...630 fixed direct fr 600 + 300 mm PrismaSeT G floor-standing enclosure + duct ComPact INV500...630 fixed direct fr 600 + 300 mm PrismaSeT G wall-mounted enclosure + duct ComPact INV500...630 fixed direct fr 600 + 300 mm PrismaSeT G floor-standing enclosure + duct ComPact INV500...630 fixed direct fr 600 + 300 mm PrismaSeT G wall-mounted enclosure + duct ComPact INV500...630 fixed direct fr 600 + 300 mm PrismaSeT G floor-standing enclosure + duct ComPact INV500...630 fixed direct fr

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.000 Cm
Package 1 Width	29.400 Cm
Package 1 Length	47.500 Cm
Package 1 Weight	2.304 Kg
Unit Type of Package 2	S04
Number of Units in Package 2	5
Package 2 Height	30.000 Cm
Package 2 Width	40.000 Cm
Package 2 Length	60.000 Cm
Package 2 Weight	12.490 Kg

Offer Sustainability

Sustainable packaging	No
Environmental Disclosure	Product Environmental Profile
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No, we have minimized the use of plastic in the packaging in compliance with regulations and c
SCIP Number	4758f26b-dbf8-498a-a5c2-4de140d6aa9a
REACh Regulation	Reference contains Substances of Very High Concern above the threshold
EU RoHS Directive	Compliant
California proposition 65	WARNING: This product can expose you to chemicals including: Cobalt metal powder and Nick
Halogen-free status	Halogen free plastic parts product
PVC free	Yes
Silicone-free	Yes
End of life manual availability	No need of specific recycling operations
Take-back	No

Contractual warranty

Warranty (in months)	18

Product Life Status : Commercialised