
Product data sheet
Characteristics

LVS03483
Mounting plate, PrismaSeT P, for MTZ1/NS/NT 1600A 3P/4P, vertical withdrawable, W650mm



Main

Range	PrismaSeT
Range of product	PrismaSeT P
Product or component type	Mounting plate
Accessory / separate part category	Installation accessory
Range compatibility	PrismaSeT PrismaSeT P cubicle
Enclosure/cubicle description	Cubicle - width 650 mm depth 400 mm Cubicle - width 650 mm depth 800 mm
Installed device	ComPact: drawout NS1250 - control: toggle - vertical installation ComPact: drawout NS1250 - control: direct front rotary handle - vertical installation ComPact: drawout NS1250 - control: motor mechanism - vertical installation ComPact: drawout NS1600 - control: toggle - vertical installation ComPact: drawout NS1600 - control: direct front rotary handle - vertical installation ComPact: drawout NS1600 - control: motor mechanism - vertical installation ComPact: drawout NS630b...1000 - control: toggle - vertical installation ComPact: drawout NS630b...1000 - control: direct front rotary handle - vertical installation ComPact: drawout NS630b...1000 - control: motor mechanism - vertical installation Masterpact: drawout NT06...10 - control: toggle - vertical installation Masterpact: drawout NT06...10 - control: motor mechanism - vertical installation Masterpact: drawout NT12 - control: toggle - vertical installation Masterpact: drawout NT12 - control: motor mechanism - vertical installation Masterpact: drawout NT16 - control: toggle - vertical installation Masterpact: drawout NT16 - control: motor mechanism - vertical installation
Poles description	1 x 3P: drawout NS1250 vertical installation 1 x 4P: drawout NS1250 vertical installation 1 x 3P: drawout NS1600 vertical installation 1 x 4P: drawout NS1600 vertical installation 1 x 3P: drawout NS630b...1000 vertical installation 1 x 4P: drawout NS630b...1000 vertical installation 1 x 3P: drawout NT06...10 vertical installation 1 x 4P: drawout NT06...10 vertical installation 1 x 3P: drawout NT12 vertical installation 1 x 4P: drawout NT12 vertical installation 1 x 3P: drawout NT16 vertical installation 1 x 4P: drawout NT16 vertical installation
Number of vertical modules [50 mm]	16 module(s): NS1250, rear connection on Canalis in 650 mm Widecubicle 16 module(s): NS1600, rear connection on Canalis in 650 mm Widecubicle 16 module(s): NS630b...1000, rear connection on Canalis in 650 mm Widecubicle 18 module(s): NS1250, front connection on Canalis in 650 mm Widecubicle 15 module(s): NS1250, front connection on adaptor in 650 mm Widecubicle 11 module(s): NS1250, rear connection on adaptor in 650 mm Widecubicle 15 module(s): NS1600, front connection on adaptor in 650 mm Widecubicle 11 module(s): NS1600, rear connection on adaptor in 650 mm Widecubicle 18 module(s): NS630b...1000, front connection on Canalis in 650 mm Widecubicle 13 module(s): NS630b...1000, front connection on adaptor in 650 mm Widecubicle 11 module(s): NS630b...1000, rear connection on adaptor in 650 mm Widecubicle 13 module(s): NT06...10, front connection on adaptor in 650 mm Widecubicle 11 module(s): NT06...10, rear connection on adaptor in 650 mm Widecubicle 18 module(s): NT06...10, front connection on Canalis in 650 mm Widecubicle 16 module(s): NT06...10, rear connection on Canalis in 650 mm Widecubicle 15 module(s): NT12, front connection on adaptor in 650 mm Widecubicle 11 module(s): NT12, rear connection on adaptor in 650 mm Widecubicle 18 module(s): NT12, front connection on Canalis in 650 mm Widecubicle 16 module(s): NT12, rear connection on Canalis in 650 mm Widecubicle 15 module(s): NT16, front connection on adaptor in 650 mm Widecubicle 11 module(s): NT16, rear connection on adaptor in 650 mm Widecubicle 16 module(s): NT16, rear connection on Canalis in 650 mm Widecubicle
Standards	IEC 61439-2
Product certifications	ASTA

Complementary

Material	Sheet steel
Protective treatment	Electrophoresis treatment and hot-polymerised polyester epoxy powder
Surface finish	Textured Matt
Colour	White (RAL 9003)
Width	650 Mm
Height	30 Mm

Net weight	3.2 Kg
Enclosure/cubicle width	650 mm 400 mm PrismaSeT P cubicle ComPact NS1250 drawout toggle vertical 3P 1 front cor 650 mm 400 mm PrismaSeT P cubicle ComPact NS1250 drawout direct front rotary handle ve 650 mm 400 mm PrismaSeT P cubicle ComPact NS1250 drawout motor mechanism vertical 3 650 mm 800 mm PrismaSeT P cubicle ComPact NS1250 drawout toggle vertical 3P 1 rear cor 650 mm 800 mm PrismaSeT P cubicle ComPact NS1250 drawout direct front rotary handle ve 650 mm 800 mm PrismaSeT P cubicle ComPact NS1250 drawout motor mechanism vertical 3 650 mm 400 mm PrismaSeT P cubicle ComPact NS1250 drawout toggle vertical 3P 1 front co 650 mm 400 mm PrismaSeT P cubicle ComPact NS1250 drawout direct front rotary handle ve 650 mm 400 mm PrismaSeT P cubicle ComPact NS1250 drawout motor mechanism vertical 3 650 mm 400 mm PrismaSeT P cubicle ComPact NS1250 drawout toggle vertical 4P 1 front co 650 mm 400 mm PrismaSeT P cubicle ComPact NS1250 drawout direct front rotary handle ve 650 mm 400 mm PrismaSeT P cubicle ComPact NS1250 drawout motor mechanism vertical 4 650 mm 800 mm PrismaSeT P cubicle ComPact NS1250 drawout toggle vertical 4P 1 rear cor 650 mm 800 mm PrismaSeT P cubicle ComPact NS1250 drawout direct front rotary handle ve 650 mm 800 mm PrismaSeT P cubicle ComPact NS1250 drawout motor mechanism vertical 4 650 mm 400 mm PrismaSeT P cubicle ComPact NS1250 drawout toggle vertical 4P 1 front co 650 mm 400 mm PrismaSeT P cubicle ComPact NS1250 drawout direct front rotary handle ve 650 mm 400 mm PrismaSeT P cubicle ComPact NS1250 drawout motor mechanism vertical 4 650 mm 800 mm PrismaSeT P cubicle ComPact NS1250 drawout toggle vertical 3P 1 rear cor 650 mm 800 mm PrismaSeT P cubicle ComPact NS1250 drawout toggle vertical 4P 1 rear cor 650 mm 800 mm PrismaSeT P cubicle ComPact NS1250 drawout direct front rotary handle ve 650 mm 800 mm PrismaSeT P cubicle ComPact NS1250 drawout direct front rotary handle ve 650 mm 800 mm PrismaSeT P cubicle ComPact NS1250 drawout motor mechanism vertical 3 650 mm 800 mm PrismaSeT P cubicle ComPact NS1250 drawout motor mechanism vertical 4 650 mm 800 mm PrismaSeT P cubicle ComPact NS1600 drawout toggle vertical 3P 1 rear cor 650 mm 800 mm PrismaSeT P cubicle ComPact NS1600 drawout direct front rotary handle ve 650 mm 800 mm PrismaSeT P cubicle ComPact NS1600 drawout motor mechanism vertical 3 650 mm 400 mm PrismaSeT P cubicle ComPact NS1600 drawout toggle vertical 3P 1 front co 650 mm 400 mm PrismaSeT P cubicle ComPact NS1600 drawout direct front rotary handle ve 650 mm 400 mm PrismaSeT P cubicle ComPact NS1600 drawout motor mechanism vertical 3 650 mm 800 mm PrismaSeT P cubicle ComPact NS1600 drawout toggle vertical 4P 1 rear cor 650 mm 800 mm PrismaSeT P cubicle ComPact NS1600 drawout direct front rotary handle ve 650 mm 800 mm PrismaSeT P cubicle ComPact NS1600 drawout motor mechanism vertical 4 650 mm 400 mm PrismaSeT P cubicle ComPact NS1600 drawout toggle vertical 4P 1 front co 650 mm 400 mm PrismaSeT P cubicle ComPact NS1600 drawout direct front rotary handle ve 650 mm 400 mm PrismaSeT P cubicle ComPact NS1600 drawout motor mechanism vertical 4 650 mm 800 mm PrismaSeT P cubicle ComPact NS1600 drawout toggle vertical 3P 1 rear cor 650 mm 800 mm PrismaSeT P cubicle ComPact NS1600 drawout toggle vertical 4P 1 rear cor 650 mm 800 mm PrismaSeT P cubicle ComPact NS1600 drawout direct front rotary handle ve 650 mm 800 mm PrismaSeT P cubicle ComPact NS1600 drawout direct front rotary handle ve 650 mm 800 mm PrismaSeT P cubicle ComPact NS1600 drawout motor mechanism vertical 3 650 mm 800 mm PrismaSeT P cubicle ComPact NS1600 drawout motor mechanism vertical 4 650 mm 400 mm PrismaSeT P cubicle ComPact NS630b...1000 drawout toggle vertical 3P 1 fi 650 mm 400 mm PrismaSeT P cubicle ComPact NS630b...1000 drawout direct front rotary har 650 mm 400 mm PrismaSeT P cubicle ComPact NS630b...1000 drawout motor mechanism ve 650 mm 800 mm PrismaSeT P cubicle ComPact NS630b...1000 drawout toggle vertical 3P 1 r 650 mm 800 mm PrismaSeT P cubicle ComPact NS630b...1000 drawout direct front rotary har 650 mm 800 mm PrismaSeT P cubicle ComPact NS630b...1000 drawout motor mechanism ve 650 mm 400 mm PrismaSeT P cubicle ComPact NS630b...1000 drawout toggle vertical 3P 1 fi 650 mm 400 mm PrismaSeT P cubicle ComPact NS630b...1000 drawout direct front rotary har 650 mm 400 mm PrismaSeT P cubicle ComPact NS630b...1000 drawout motor mechanism ve 650 mm 400 mm PrismaSeT P cubicle ComPact NS630b...1000 drawout toggle vertical 4P 1 fi 650 mm 400 mm PrismaSeT P cubicle ComPact NS630b...1000 drawout direct front rotary har 650 mm 400 mm PrismaSeT P cubicle ComPact NS630b...1000 drawout motor mechanism ve 650 mm 800 mm PrismaSeT P cubicle ComPact NS630b...1000 drawout toggle vertical 4P 1 r 650 mm 800 mm PrismaSeT P cubicle ComPact NS630b...1000 drawout direct front rotary har 650 mm 800 mm PrismaSeT P cubicle ComPact NS630b...1000 drawout motor mechanism ve 650 mm 400 mm PrismaSeT P cubicle ComPact NS630b...1000 drawout toggle vertical 4P 1 fi 650 mm 400 mm PrismaSeT P cubicle ComPact NS630b...1000 drawout direct front rotary har 650 mm 400 mm PrismaSeT P cubicle ComPact NS630b...1000 drawout motor mechanism ve 650 mm 800 mm PrismaSeT P cubicle ComPact NS630b...1000 drawout toggle vertical 3P 1 r 650 mm 800 mm PrismaSeT P cubicle ComPact NS630b...1000 drawout toggle vertical 4P 1 r 650 mm 800 mm PrismaSeT P cubicle ComPact NS630b...1000 drawout direct front rotary har 650 mm 800 mm PrismaSeT P cubicle ComPact NS630b...1000 drawout direct front rotary har 650 mm 800 mm PrismaSeT P cubicle ComPact NS630b...1000 drawout motor mechanism ve 650 mm 800 mm PrismaSeT P cubicle ComPact NS630b...1000 drawout motor mechanism ve 650 mm 400 mm PrismaSeT P cubicle Masterpact NT06...10 drawout toggle vertical 3P 1 front 650 mm 400 mm PrismaSeT P cubicle Masterpact NT06...10 drawout motor mechanism vertic 650 mm 800 mm PrismaSeT P cubicle Masterpact NT06...10 drawout toggle vertical 3P 1 rear 650 mm 800 mm PrismaSeT P cubicle Masterpact NT06...10 drawout motor mechanism vertic 650 mm 400 mm PrismaSeT P cubicle Masterpact NT06...10 drawout toggle vertical 3P 1 front 650 mm 400 mm PrismaSeT P cubicle Masterpact NT06...10 drawout motor mechanism vertic 650 mm 800 mm PrismaSeT P cubicle Masterpact NT06...10 drawout toggle vertical 3P 1 rear 650 mm 800 mm PrismaSeT P cubicle Masterpact NT06...10 drawout motor mechanism vertic 650 mm 400 mm PrismaSeT P cubicle Masterpact NT06...10 drawout toggle vertical 4P 1 front 650 mm 400 mm PrismaSeT P cubicle Masterpact NT06...10 drawout motor mechanism vertic 650 mm 800 mm PrismaSeT P cubicle Masterpact NT06...10 drawout toggle vertical 4P 1 rear 650 mm 800 mm PrismaSeT P cubicle Masterpact NT06...10 drawout motor mechanism vertic 650 mm 400 mm PrismaSeT P cubicle Masterpact NT06...10 drawout toggle vertical 4P 1 front 650 mm 400 mm PrismaSeT P cubicle Masterpact NT06...10 drawout motor mechanism vertic 650 mm 800 mm PrismaSeT P cubicle Masterpact NT06...10 drawout toggle vertical 4P 1 rear 650 mm 800 mm PrismaSeT P cubicle Masterpact NT06...10 drawout motor mechanism vertic 650 mm 400 mm PrismaSeT P cubicle Masterpact NT12 drawout toggle ver...P 1 front con

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.400 Cm
Package 1 Width	17.200 Cm
Package 1 Length	57.200 Cm
Package 1 Weight	3.219 Kg
Unit Type of Package 2	P12
Number of Units in Package 2	80
Package 2 Height	75.000 Cm
Package 2 Width	80.000 Cm
Package 2 Length	120.000 Cm
Package 2 Weight	271.000 Kg

Offer Sustainability

REACh free of SVHC	Yes
Toxic heavy metal free	Yes
Mercury free	Yes
Sustainable packaging	No
Environmental Disclosure	Product Environmental Profile
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No, we have minimized the use of plastic in the packaging in compliance with regulations and cons
REACh Regulation	Free of Substances of Very High Concern above the threshold
EU RoHS Directive	Compliant By Exemption
California proposition 65	WARNING: This product can expose you to chemicals including: Lead, which is known to the State
Halogen-free status	Halogen free plastic parts product
PVC free	Yes
Silicone-free	Yes
End of life manual availability	No need of specific recycling operations
Take-back	No

Contractual warranty

Warranty (in months)	18

Product Life Status : Commercialised