
Product data sheet
Characteristics

LVS03500
Mounting plate, PrismaSeT P, for MTZ2/NW 3P/4P, vertical fixed/withdrawable, toggle, W650mm



Main

Range	PrismaSeT
Range of product	PrismaSeT P
Product or component type	Mounting plate
Accessory / separate part category	Installation accessory
Range compatibility	PrismaSeT PrismaSeT P cubicle
Enclosure/cubicle description	Cubicle - width 650 mm depth 600 mm Cubicle - width 650 mm depth 1000 mm
Installed device	Masterpact: drawout NW08...16 - control: toggle - vertical installation Masterpact: fixed NW08...16 - control: toggle - vertical installation Masterpact: drawout NW20...25 - control: toggle - vertical installation Masterpact: fixed NW20...25 - control: toggle - vertical installation Masterpact: drawout NW32 - control: toggle - vertical installation Masterpact: fixed NW32 - control: toggle - vertical installation
Poles description	1 x 3P: drawout NW08...16 vertical installation 1 x 3P: fixed NW08...16 vertical installation 1 x 4P: drawout NW08...16 vertical installation 1 x 4P: fixed NW08...16 vertical installation 1 x 3P: drawout NW20...25 vertical installation 1 x 3P: fixed NW20...25 vertical installation 1 x 4P: drawout NW20...25 vertical installation 1 x 4P: fixed NW20...25 vertical installation 1 x 3P: drawout NW32 vertical installation 1 x 3P: fixed NW32 vertical installation 1 x 4P: drawout NW32 vertical installation 1 x 4P: fixed NW32 vertical installation
Number of vertical modules [50 mm]	36 module(s): NW08...16, front connection on adaptor in 650 mm Widecubicle 27 module(s): NW08...16, front connection on Canalis in 650 mm Widecubicle 15 module(s): NW08...16, rear connection on adaptor in 650 mm Widecubicle 19 module(s): NW08...16, front connection on adaptor in 650 mm Widecubicle 17 module(s): NW08...16, rear connection on Canalis in 650 mm Widecubicle 36 module(s): NW08...16, front connection on busbar in 650 mm Widecubicle 18 module(s): NW08...16, front connection on adaptor in 650 mm Widecubicle 14 module(s): NW08...16, rear connection on adaptor in 650 mm Widecubicle 16 module(s): NW08...16, rear connection on Canalis in 650 mm Widecubicle 36 module(s): NW20...25, front connection on adaptor in 650 mm Widecubicle 15 module(s): NW20...25, rear connection on adaptor in 650 mm Widecubicle 20 module(s): NW20...25, front connection on adaptor in 650 mm Widecubicle 28 module(s): NW20...25, front connection on Canalis in 650 mm Widecubicle 17 module(s): NW20...25, rear connection on Canalis in 650 mm Widecubicle 36 module(s): NW20...25, front connection on busbar in 650 mm Widecubicle 19 module(s): NW20...25, front connection on adaptor in 650 mm Widecubicle 14 module(s): NW20...25, rear connection on adaptor in 650 mm Widecubicle 16 module(s): NW20...25, rear connection on Canalis in 650 mm Widecubicle 36 module(s): NW32, front connection on adaptor in 650 mm Widecubicle 15 module(s): NW32, rear connection on adaptor in 650 mm Widecubicle 20 module(s): NW32, front connection on adaptor in 650 mm Widecubicle 28 module(s): NW32, front connection on Canalis in 650 mm Widecubicle 17 module(s): NW32, rear connection on Canalis in 650 mm Widecubicle 36 module(s): NW32, front connection on busbar in 650 mm Widecubicle 19 module(s): NW32, front connection on adaptor in 650 mm Widecubicle 14 module(s): NW32, rear connection on adaptor in 650 mm Widecubicle 16 module(s): NW32, rear connection on Canalis in 650 mm Widecubicle
Standards	IEC 61439-2
Product certifications	ASTA

Complementary

Material	Sheet steel
Protective treatment	Electrophoresis treatment and hot-polymerised polyester epoxy powder
Surface finish	Matt Textured
Colour	White (RAL 9003)
Width	650 Mm
Height	30 Mm

Net weight	3.82 Kg
Enclosure/cubicle width	650 mm 600 mm PrismaSeT P cubicle Masterpact NW08...16 drawout toggle vertical 3P 1 fron 650 mm 600 mm PrismaSeT P cubicle Masterpact NW08...16 drawout toggle vertical 3P 1 fron 650 mm 1000 mm PrismaSeT P cubicle Masterpact NW08...16 drawout toggle vertical 3P 1 re 650 mm 600 mm PrismaSeT P cubicle Masterpact NW08...16 drawout toggle vertical 3P 1 fron 650 mm 1000 mm PrismaSeT P cubicle Masterpact NW08...16 drawout toggle vertical 3P 1 re 650 mm 600 mm PrismaSeT P cubicle Masterpact NW08...16 drawout toggle vertical 3P 1 fron 650 mm 600 mm PrismaSeT P cubicle Masterpact NW08...16 fixed toggle vertical 3P 1 front c 650 mm 1000 mm PrismaSeT P cubicle Masterpact NW08...16 fixed toggle vertical 3P 1 rear c 650 mm 600 mm PrismaSeT P cubicle Masterpact NW08...16 fixed toggle vertical 3P 1 front c 650 mm 1000 mm PrismaSeT P cubicle Masterpact NW08...16 fixed toggle vertical 3P 1 rear c 650 mm 600 mm PrismaSeT P cubicle Masterpact NW08...16 fixed toggle vertical 3P 1 front c 650 mm 600 mm PrismaSeT P cubicle Masterpact NW08...16 drawout toggle vertical 4P 1 fron 650 mm 600 mm PrismaSeT P cubicle Masterpact NW08...16 drawout toggle vertical 4P 1 fron 650 mm 1000 mm PrismaSeT P cubicle Masterpact NW08...16 drawout toggle vertical 4P 1 re 650 mm 600 mm PrismaSeT P cubicle Masterpact NW08...16 drawout toggle vertical 4P 1 fron 650 mm 1000 mm PrismaSeT P cubicle Masterpact NW08...16 drawout toggle vertical 4P 1 re 650 mm 600 mm PrismaSeT P cubicle Masterpact NW08...16 drawout toggle vertical 4P 1 fron 650 mm 600 mm PrismaSeT P cubicle Masterpact NW08...16 fixed toggle vertical 4P 1 front c 650 mm 1000 mm PrismaSeT P cubicle Masterpact NW08...16 fixed toggle vertical 4P 1 rear c 650 mm 600 mm PrismaSeT P cubicle Masterpact NW08...16 fixed toggle vertical 4P 1 front c 650 mm 1000 mm PrismaSeT P cubicle Masterpact NW08...16 fixed toggle vertical 4P 1 rear c 650 mm 600 mm PrismaSeT P cubicle Masterpact NW08...16 fixed toggle vertical 4P 1 front c 650 mm 600 mm PrismaSeT P cubicle Masterpact NW20...25 drawout toggle vertical 3P 1 fron 650 mm 1000 mm PrismaSeT P cubicle Masterpact NW20...25 drawout toggle vertical 3P 1 re 650 mm 600 mm PrismaSeT P cubicle Masterpact NW20...25 drawout toggle vertical 3P 1 fron 650 mm 600 mm PrismaSeT P cubicle Masterpact NW20...25 drawout toggle vertical 3P 1 fron 650 mm 1000 mm PrismaSeT P cubicle Masterpact NW20...25 drawout toggle vertical 3P 1 re 650 mm 600 mm PrismaSeT P cubicle Masterpact NW20...25 drawout toggle vertical 3P 1 fron 650 mm 600 mm PrismaSeT P cubicle Masterpact NW20...25 fixed toggle vertical 3P 1 front c 650 mm 1000 mm PrismaSeT P cubicle Masterpact NW20...25 fixed toggle vertical 3P 1 rear c 650 mm 600 mm PrismaSeT P cubicle Masterpact NW20...25 fixed toggle vertical 3P 1 front c 650 mm 1000 mm PrismaSeT P cubicle Masterpact NW20...25 fixed toggle vertical 3P 1 rear c 650 mm 600 mm PrismaSeT P cubicle Masterpact NW20...25 fixed toggle vertical 3P 1 front c 650 mm 600 mm PrismaSeT P cubicle Masterpact NW20...25 drawout toggle vertical 4P 1 fron 650 mm 1000 mm PrismaSeT P cubicle Masterpact NW20...25 drawout toggle vertical 4P 1 re 650 mm 600 mm PrismaSeT P cubicle Masterpact NW20...25 drawout toggle vertical 4P 1 fron 650 mm 600 mm PrismaSeT P cubicle Masterpact NW20...25 drawout toggle vertical 4P 1 fron 650 mm 1000 mm PrismaSeT P cubicle Masterpact NW20...25 drawout toggle vertical 4P 1 re 650 mm 600 mm PrismaSeT P cubicle Masterpact NW20...25 drawout toggle vertical 4P 1 fron 650 mm 600 mm PrismaSeT P cubicle Masterpact NW20...25 fixed toggle vertical 4P 1 front c 650 mm 1000 mm PrismaSeT P cubicle Masterpact NW20...25 fixed toggle vertical 4P 1 rear c 650 mm 600 mm PrismaSeT P cubicle Masterpact NW20...25 fixed toggle vertical 4P 1 front c 650 mm 1000 mm PrismaSeT P cubicle Masterpact NW20...25 fixed toggle vertical 4P 1 rear c 650 mm 600 mm PrismaSeT P cubicle Masterpact NW20...25 fixed toggle vertical 4P 1 front c 650 mm 600 mm PrismaSeT P cubicle Masterpact NW32 drawout toggle vertical 3P 1 front co 650 mm 1000 mm PrismaSeT P cubicle Masterpact NW32 drawout toggle vertical 3P 1 rear co 650 mm 600 mm PrismaSeT P cubicle Masterpact NW32 drawout toggle vertical 3P 1 front co 650 mm 600 mm PrismaSeT P cubicle Masterpact NW32 drawout toggle vertical 3P 1 front co 650 mm 1000 mm PrismaSeT P cubicle Masterpact NW32 drawout toggle vertical 3P 1 rear co 650 mm 600 mm PrismaSeT P cubicle Masterpact NW32 drawout toggle vertical 3P 1 front co 650 mm 600 mm PrismaSeT P cubicle Masterpact NW32 fixed toggle vertical 3P 1 front conne 650 mm 1000 mm PrismaSeT P cubicle Masterpact NW32 fixed toggle vertical 3P 1 rear conn 650 mm 600 mm PrismaSeT P cubicle Masterpact NW32 fixed toggle vertical 3P 1 front conne 650 mm 1000 mm PrismaSeT P cubicle Masterpact NW32 fixed toggle vertical 3P 1 rear conn 650 mm 600 mm PrismaSeT P cubicle Masterpact NW32 fixed toggle vertical 3P 1 front conne 650 mm 600 mm PrismaSeT P cubicle Masterpact NW32 drawout toggle vertical 4P 1 front co 650 mm 1000 mm PrismaSeT P cubicle Masterpact NW32 drawout toggle vertical 4P 1 rear co 650 mm 600 mm PrismaSeT P cubicle Masterpact NW32 drawout toggle vertical 4P 1 front co 650 mm 600 mm PrismaSeT P cubicle Masterpact NW32 drawout toggle vertical 4P 1 front co 650 mm 1000 mm PrismaSeT P cubicle Masterpact NW32 drawout toggle vertical 4P 1 rear co 650 mm 600 mm PrismaSeT P cubicle Masterpact NW32 drawout toggle vertical 4P 1 front co 650 mm 600 mm PrismaSeT P cubicle Masterpact NW32 fixed toggle vertical 4P 1 front conne 650 mm 1000 mm PrismaSeT P cubicle Masterpact NW32 fixed toggle vertical 4P 1 rear conn 650 mm 600 mm PrismaSeT P cubicle Masterpact NW32 fixed toggle vertical 4P 1 front conne 650 mm 1000 mm PrismaSeT P cubicle Masterpact NW32 fixed toggle vertical 4P 1 rear conn 650 mm 600 mm PrismaSeT P cubicle Masterpact NW32 fixed toggle vertical 4P 1 front conne

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.000 Cm
Package 1 Width	20.500 Cm
Package 1 Length	57.000 Cm
Package 1 Weight	3.779 Kg
Unit Type of Package 2	BB1

Number of Units in Package 2	6
Package 2 Height	29.000 Cm
Package 2 Width	40.000 Cm
Package 2 Length	59.000 Cm
Package 2 Weight	23.540 Kg
Unit Type of Package 3	P12
Number of Units in Package 3	72
Package 3 Height	102.000 Cm
Package 3 Width	80.000 Cm
Package 3 Length	120.000 Cm
Package 3 Weight	286.088 Kg

Offer Sustainability

REACh free of SVHC	Yes
Toxic heavy metal free	Yes
Mercury free	Yes
Sustainable packaging	No
Environmental Disclosure	Product Environmental Profile
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No, we have minimized the use of plastic in the packaging in compliance with regulations and cons
REACh Regulation	Free of Substances of Very High Concern above the threshold
EU RoHS Directive	Compliant By Exemption
California proposition 65	WARNING: This product can expose you to chemicals including: Lead, which is known to the State
Halogen-free status	Halogen free plastic parts product
PVC free	Yes
Silicone-free	Yes
End of life manual availability	No need of specific recycling operations
Take-back	No

Contractual warranty

Warranty (in months)	18

Product Life Status : Commercialised