Product datasheet

Specifications



Blind / switch actuator REG-K/12x/24x/10 with manual mode, light grey

MTN649912

Discontinued on: 14 Jul 2021

End-of-service on: 27 Jan 2021

Discontinued

EAN Code: 3606485012025

Main

Product or component type	Blind switch actuator
Bus type	KNX
Operating mode	KNX bus system Manual

Complementary

Mounting support	DIN rail
[Ue] rated operational voltage	100...240 V AC 50...60 Hz
[In] rated current	10 A
Number of outputs	12
Load type	Motor: 434 W, 100 V AC Motor: 1000 W, 230 V AC Motor: 1043 W, 240 V AC Incandescent lamps: <= 869 W, 100 V AC Incandescent lamps: <= 2000 W, 230 V AC Incandescent lamps: <= 2086 W, 240 V AC Halogen lamps: <= 739 W, 100 V AC Halogen lamps: <= 1700 W, 230 V AC Halogen lamps: <= 1773 W, 240 V AC Parallel compensated fluorescent lamp: <= 434 VA, 100 V AC Parallel compensated fluorescent lamp: <= 1000 VA, 230 V AC Parallel compensated fluorescent lamp: <= 1043 VA, 240 V AC Capacitive: , 10 A, 105 µF, 100...240 V AC
Local signalling	LED
total number of 18 mm modules	12

Environment

IP degree of protection	IP20

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	8 cm
Package 1 Width	12.4 cm
Package 1 Length	27.8 cm
Package 1 Weight	1.01 kg

Logistical informations

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Country of origin	DE

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances

Packaging made with recycled cardboard	Yes
EU RoHS Directive	Compliant By Exemption

Use Again

Repack and remanufacture

End of life manual availability	End of Life Information
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins