Product data sheet
Characteristics

QOU215
Mini circuit breaker, QOU, 15A, 2 pole, 120/240VAC, 10kA

Local Stock Code: On Stock

Price*: 92.46 USD



Main

Product or component type	Miniature circuit-breaker
Range of product	QOU
Circuit breaker type	Standard
Circuit breaker application	HACR rated

Complementary

[In] rated current	15 A
Poles description	2P
Short-circuit current	10 KA
Breaking capacity	10 KA at 120/240 V AC 10 KA at 120 V AC
Electrical connection	Slotted box lugs, line side Slotted box lugs, load side
[Ue] rated operational voltage	120/240 V AC 120 V AC 48 V DC
Mounting mode	Unit mount
AWG gauge	14 AWG...2 AWG aluminium/copper
Height	102.87 Mm
Width	38.1 Mm
Depth	74.93 Mm
Tightening torque	5.08 N.M (14 AWG...2 AWG)

Environment

Product certifications	UL listed[RETURN]CSA[RETURN]IEC

Ordering and shipping details

Category	US10DE200900
Discount Schedule	0DE2
GTIN	785901418658
Returnability	Yes
Country of origin	MX

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	6.604 Cm
Package 1 Width	5.588 Cm
Package 1 Length	12.446 Cm
Package 1 Weight	168 G
Unit Type of Package 2	CAR
Number of Units in Package 2	24
Package 2 Height	9.398 Cm
Package 2 Width	34.544 Cm
Package 2 Length	52.578 Cm
Package 2 Weight	8.5 Kg
Unit Type of Package 3	PAL
Number of Units in Package 3	1008
Package 3 Height	101.6 Cm
Package 3 Width	101.6 Cm
Package 3 Length	121.92 Cm
Package 3 Weight	352.441 Kg

Offer Sustainability

Recyclability potential, in %	32
Total lifecycle Carbon footprint	4 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	1.0890079753914779
Carbon footprint of the manufacturing phase [A1 to A3]	1 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0.11292641839398469
Carbon footprint of the distribution phase [A4]	0.1 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0.02247164608798728
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	2.450679916735208
Carbon footprint of the use phase [B2, B3, B4, B6]	2 kg CO2 eq.
Toxic heavy metal free	Yes
Mercury free	Yes
Sustainable packaging	No
Carbon footprint of the end-of-life phase [C1 to C4]	0.15879391451930544
Carbon footprint of the end-of-life phase [C1 to C4]	0.2 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile
Total lifecycle Carbon footprint	4
Packaging made with recycled cardboard	No
Packaging without single use plastic	Yes
SCIP Number	Af42fb01-813d-40c0-ae28-b8b3299dbc99
REACh Regulation	Reference contains Substances of Very High Concern above the threshold
EU RoHS Directive	Compliant

California proposition 65	WARNING: This product can expose you to chemicals including: Nickel (Metallic), which is known to
Halogen-free status	Halogen free product
End of life manual availability	No need of specific recycling operations
Take-back	No
WEEE Label	The product must be disposed on European Union markets following specific waste collection and n

Contractual warranty

Warranty (in months)	18

Product Life Status : Commercialised