Product datasheet

Specifications



Discontinued

Universal dimming actuator REG-K/ 230/1000 W, light grey

Local distributor code:

395964864 MTN649310

Discontinued on: 5 Apr 2022

EAN Code: 3606485100098

Main

Product or component type	Dimming actuator
Operating mode	KNX bus system Manual
Bus type	KNX

Complementary

total number of 18 mm modules	4
Mounting support	DIN rail
[Ue] rated operational voltage	110...230 V
Network frequency	50/60 Hz
Input type	1 x push-button: 230 V AC 1 x electronic push-button: 230 V AC
Number of outputs	1
Local signalling	LED
Load type	Incandescent lamps: 30...1000 W at 230 V 50 Hz AC Incandescent lamps: 30...850 W at 230 V 60 Hz AC Incandescent lamps: 14...480 W at 110 V 50 Hz AC Incandescent lamps: 14...400 W at 110 V 60 Hz AC Inductive: 50...1000 W at 230 V 50 Hz AC Inductive: 50...850 W at 230 V 60 Hz AC Inductive: 24...480 W at 110 V 50 Hz AC Inductive: 24...400 W at 110 V 60 Hz AC Capacitive: 50...1000 W at 230 V 50 Hz AC Capacitive: 50...850 W at 230 V 60 Hz AC Capacitive: 24...480 W at 110 V 50 Hz AC Capacitive: 24...400 W at 110 V 60 Hz AC

Environment

IP degree of protection	IP20

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	8 cm
Package 1 Width	12.5 cm
Package 1 Length	16 cm
Package 1 Weight	281.9 g
Unit Type of Package 2	S03

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Number of Units in Package 2	10
Package 2 Height	30 cm
Package 2 Width	30 cm
Package 2 Length	40 cm
Package 2 Weight	3.337 kg

Logistical informations

Country of origin	DE

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances

Packaging made with recycled cardboard	Yes
EU RoHS Directive	Compliant By Exemption

Use Again

Repack and remanufacture

End of life manual availability	End of Life Information
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins