SIEMENS

Data sheet 3LD9250-2BA



Neutral conductor/PE terminal, continuous, for front mounting, accessory for main and emergency switching-off switch 3LD25 for 63A and for molded case switch 3LD5 UL for 30A

Model	
product brand name	SENTRON
product designation	Neutral conductor/PE terminal
design of the product	accessories for 3LD25 main and EMERGENCY-OFF switches
Accessories	
accessories	through-type, for front mounting, up to 63 A
AWG number as coded connectable conductor cross section	
● minimum	14
● maximum	6
type of connectable conductor cross-sections for main contacts	
● finely stranded with core end processing	1x (2.5...35 mm²)
● solid or stranded	1x (2.5 ... 16 mm²)
Mechanical Design	
Net Weight	69 g
Approvals Certificates	

Environment		General Product Approval			
Environmental Confirmations	Environmental Confirmations	EPD	CSA	cULus	UL


General Product Approval				other	
EAC	Confirmation	CE EG-Konf.	UKCA	产品合格 QC PASS	Confirmation

Further information

Information on the packaging
https://support.industry.siemens.com/cs/ww/en/view/109813875
Information for data generation and storage
https://support.industry.siemens.com/cs/ww/en/view/109995012
Information- and Downloadcenter (Catalogs, Brochures,…)
https://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3LD9250-2BA
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/3LD9250-2BA

Subject to change without notice
© Copyright Siemens

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3LD9250-2BA
CAx-Online-Generator
https://www.siemens.com/cax
Tender specifications
https://www.siemens.com/specifications
Kennlinien
https://curves.simaris.siemens.com/curves/3LD9250-2BA



last modified: 9/19/2026

© Copyright Siemens

Subject to change without notice
© Copyright Siemens