SIEMENS

Data sheet 8UD1161-4AF21

Door-coupling rotary operating mechanism standard with tolerance compensation
Size 100x 100, Shaft 12x 12, 300 mm, Test-0-I, Complete unit Handle 200 mm
Accessory for 3KD size 5, 3KF size 5



Net Weight	1.345 kg

Approvals Certificates


Environment	General Product Approval				
Environmental Confirmations				Confirmation	

General Product Approval	Test Certificates	Maritime application	other		
	Type Test Certificates/Test Report		Confirmation		Miscellaneous

Further information

Information on the packaging
https://support.industry.siemens.com/cs/ww/en/view/109813875
Information for data generation and storage
https://support.industry.siemens.com/cs/ww/en/view/109995012
Information- and Downloadcenter (Catalogs, Brochures,…)
https://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8UD1161-4AF21
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/8UD1161-4AF21
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8UD1161-4AF21
CAx-Online-Generator
https://www.siemens.com/cax
Tender specifications
https://www.siemens.com/specifications
Kennlinien
https://curves.simaris.siemens.com/curves/8UD1161-4AF21

Subject to change without notice
© Copyright Siemens



last modified: 4/4/2025

Subject to change without notice
© Copyright Siemens

Subject to change without notice
© Copyright Siemens