SIEMENS

## Data sheet 3VA9387-0TB10



communications module COM060 accessory for: 3VA23 - 3VA26

| | |
|---|---|
| **Model** | |
| **product brand name** | SENTRON |
| **product designation** | COM060 communication module |
| **accessories** | Communication and measurement function |
| **General technical data** | |
| **suitability for operation** | 3VA2 400/630 and COM800 |
| **mounting position** | Right switch pocket |
| **degree of pollution** | 3 |
| **overvoltage category** | I |
| **operating resource protection class** | III (according to IEC 61558) |
| **protection class IP** | IP20 according to IEC60529 |
| **Current** | |
| **product function** | |
| ● electronic tripping unit power supply | Yes |
| ● detection of switch position: On, Off, Tripped | Yes |
| ● communication with function module | Yes |
| ● communication with residual current equipment | Yes |
| ● data exchange with the electronic tripping unit | Yes |
| **number of interfaces / of the circuit breaker communication system** | 1 |
| **length / of the supplied connecting cable / for circuit breaker communication system** | 0.15 m |
| **type of electrical connection / of the circuit breaker communication interface** | Spur line via T feeder |
| **total length / of the circuit breaker communication system** | 20 m |
| **power loss [W] / rated value** | 2.4 W |
| **consumed current / maximum** | 0.1 A |
| **Mechanical Design** | |
| **height** | 63 mm |
| **width** | 29 mm |
| **number of slots** | 4 |
| **depth** | 33 mm |
| **Net Weight** | 127 g |
| **Environmental conditions** | |
| **ambient temperature / during operation** | |
| ● minimum | -25 °C |
| ● maximum | 70 °C |
| **ambient temperature / during transport** | |
| ● minimum | -40 °C |
| ● maximum | 80 °C |


Subject to change without notice
© Copyright Siemens

| | |
|---|---|
| **ambient temperature / during storage** | |
| ● minimum | -40 °C |
| ● maximum | 80 °C |

## Certificates


| General Product Approval | | | | | EMV |
|---|---|---|---|---|---|
| Miscellaneous | EAC | Confirmation | CE EG-Konf. | UKCA | RCM |


| Test Certificates | Maritime application | other | | Environment | |
|---|---|---|---|---|---|
| Type Test Certificates/Test Report | Lloyd's Register LRS | Miscellaneous | Confirmation | Environmental Confirmations | Environmental Confirmations |

## Further information

**Information on the packaging**
https://support.industry.siemens.com/cs/ww/en/view/109813875
**Information for data generation and storage**
https://support.industry.siemens.com/cs/ww/en/view/109995012
**Information- and Downloadcenter (Catalogs, Brochures,…)**
https://www.siemens.com/lowvoltage/catalogs
**Industry Mall (Online ordering system)**
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9387-0TB10
**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**
https://support.industry.siemens.com/cs/ww/en/ps/3VA9387-0TB10
**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**
https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9387-0TB10
**CAx-Online-Generator**
https://www.siemens.com/cax
**Tender specifications**
https://www.siemens.com/specifications


Subject to change without notice
© Copyright Siemens




**last modified:** 7/19/2026


Subject to change without notice
© Copyright Siemens

Subject to change without notice
© Copyright Siemens