SIEMENS

Data sheet 3VA9480-0WB00



control wire tap for box terminal 10 units accessory for: 3VA13/14 3VA23/24

Model	
product brand name	SENTRON
product designation	control wire tap
design of the product	Connection method
accessories	Control wire tap
General technical data	
designation / of the terminal	CW-tap for TS1.X
type of electrical connection / with control wire tap	Yes
Mechanical Design	
Net Weight	21 g
Connections according IEC	
connectable conductor cross-section	
● for copper cable / stranded / minimum	0.75 mm²
● for copper cable / stranded / maximum	2.5 mm²
stripped length	5-8 mm
tightening torque / when using copper cables	
● solid	0.75 - 2.5 mm²: 2 Nm
● finely stranded	0.75 - 2.5 mm²: 2 Nm
Connetctions according UL	
permissible temperature / of connectable conductor / according to UL 486A-486B	75 °C
stripped length	0.2-0.3 in

Certificates

General Product Approval					EMV
Miscellaneous	EAC	Confirmation	CE EG-Konf.	UKCA	RCM

Test Certificates	Maritime application	other		Environment	
Type Test Certificates/Test Report	Lloyd's Register LRS	Miscellaneous	Confirmation	Environmental Confirmations	Environmental Confirmations

Further information

Information on the packaging

Subject to change without notice
© Copyright Siemens

https://support.industry.siemens.com/cs/ww/en/view/109813875

Information for data generation and storage
https://support.industry.siemens.com/cs/ww/en/view/109995012

Information- and Downloadcenter (Catalogs, Brochures,…)
https://www.siemens.com/lowvoltage/catalogs


Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9480-0WB00


Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/3VA9480-0WB00

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9480-0WB00

CAx-Online-Generator
https://www.siemens.com/cax

Tender specifications
https://www.siemens.com/specifications





last modified: 4/6/2026

© Copyright Siemens

Subject to change without notice
© Copyright Siemens