SIEMENS

Data sheet 3RW5900-0CC00

Siemens EcoTech

COM connecting cable 0.3 m for 3RW50



product brand name	SIRIUS
product category	Connecting cables
product designation	COM connecting cable
design of the product	0.3 m, round
product type designation	3RW59
manufacturer's article number of soft starter	
•	3RW50
General technical data	
Substance Prohibitance (day/month/year)	09/23/2019
Net Weight	0.031 kg
Ambient conditions	
ambient temperature during storage and transport	-40 ... +80 °C
Electrical Safety	
protection class IP on the front according to IEC 60529	IP20
touch protection on the front according to IEC 60529	finger-safe, for vertical contact from the front
Approvals Certificates	

Environment	General Product Approval				
Environmental Confirmations	Siemens EcoTech	cULus	EAC	CE EG-Konf.	UKCA

EMV	For use in hazardous locations	Test Certificates	Maritime application		
KC	Miscellaneous	Type Test Certificates/Test Report	ABS	DNV	Lloyd's Register LRS

Maritime application	other

Subject to change without notice
© Copyright Siemens

Confirmation

Further information

Information on the packaging
https://support.industry.siemens.com/cs/ww/en/view/109813875
Information for data generation and storage
https://support.industry.siemens.com/cs/ww/en/view/109995012
Information- and Downloadcenter (Catalogs, Brochures,…)
https://www.siemens.com/ic10
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RW5900-0CC00
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/3RW5900-0CC00
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)
https://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RW5900-0CC00&lang=en
Cax online generator
https://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RW5900-0CC00
Kennlinien
https://curves.simaris.siemens.com/curves/3RW5900-0CC00
Characteristic: Tripping characteristics, I²t, Let-through current
https://support.industry.siemens.com/cs/ww/en/ps/3RW5900-0CC00/char
Characteristic: Installation altitude
https://www.automation.siemens.com/bilddb/index.aspx?gridview=view2&objkey=G_NSB0_XX_01704&showdetail=true&view=Search
Simulation Tool for Soft Starters (STS)
https://support.industry.siemens.com/cs/ww/en/view/101494917

last modified: 4/2/2025

Subject to change without notice
© Copyright Siemens

Subject to change without notice
© Copyright Siemens