Data Sheet | Item Number: 249-119

Group marker carrier; gray

https://www.wago.com/249-119



Color: gray

Technical data

Suitable	for end stops (249-116 and 249-117); for 1 marker or self-adhesive label and transparent protective marker cover
Properties	Snap-on type and adjustable in height from 43.5 mm to 59.5 mm
Insulation material (main housing)	Polyamide (PA66)
Flammability class per UL94	V0

Physical data

Width	10 mm / 0.394 inches

Material data

Color	gray
Weight	1.5 g
Fire load	0.041 MJ

Environmental requirements

Ambient temperature (storage)	-40 … +60 °C
Ambient temperature (operation)	-60 … +105 °C
Relative humidity	20 … 95 %

Commercial data

Product Group	2 (Terminal Block Accessories)
PU (SPU)	50 (25) pcs
Packaging type	Box
Country of origin	DE
GTIN	4017332188371
Customs tariff number	39269097900

Continued on next page

Product Classification

UNSPSC	39121702
eCl@ss 10.0	27-14-40-75
eCl@ss 9.0	27-14-40-75
ETIM 9.0	EC002248
ETIM 10.0	EC002248
ECCN	NO US CLASSIFICATION

Environmental Product Compliance

RoHS Compliance Status	Compliant,No Exemption

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 249-119

Documentation

Bid Text

249-119	19.02.2019	xml 2.79 KB	
249-119	04.01.2018	doc 24.00 KB	

CAD/CAE-Data

CAD data

2D/3D Models 249-119

CAE data

EPLAN Data Portal 249-119

WSCAD Universe 249-119

ZUKEN Portal 249-119

Continued on next page

1 Compatible Products

1.1 Optional Accessories

1.1.1 Marking

1.1.1.1 Label



Item No.: 210-345
Labels; for laser printer; permanent adhesive; 9.5 x 25 mm; white



Item No.: 210-808
Labels; for Smart Printer; 9.5 x 25 mm; white



Item No.: 210-807
Labels; for Smart Printer; permanent adhesive; 8 x 20 mm; 3000 pieces on roll; white

Item No.: 210-708
Labels; for TP printers; 9.5 x 25 mm; white

1.1.1.2 Marker


Item No.: 209-113
Cardboard signs; for laser printer; 9.5 x 25 mm; white

1.1.1.3 Protective marker cover

Item No.: 209-114
Protection cover; transparent

Installation Notes

Application



This system can be used as an additional group marker carrier or continuous marking strip carrier for terminal strips or single-deck rail-mount terminal blocks, e.g., for:

- DIN-35 rail-mount terminal strips (264 Series)
- Single-deck rail-mount terminal blocks (279 to 284 Series) with a maximum height of 49 mm (1.93 inch) from upper-edge of DIN-rail (observe conductor radius)Receptacles for:
  1 x marker
  2 x WMB Multi marker or
  3 x WCB Combi marker or
  1 x WFB continuous marking strip